



T0835H-8E 8A TRIAC

Rev.A.1.1

DESCRIPTION:

1. T0835H-8E 8A TRIAC
 2. 8A TRIAC
 3. 8A TRIAC
 4. 8A TRIAC
 5. 8A TRIAC
 6. 8A TRIAC
 7. 8A TRIAC
 8. 8A TRIAC
 9. 8A TRIAC
 10. 8A TRIAC
 11. 8A TRIAC
 12. 8A TRIAC
 13. 8A TRIAC
 14. 8A TRIAC
 15. 8A TRIAC
 16. 8A TRIAC
 17. 8A TRIAC
 18. 8A TRIAC
 19. 8A TRIAC
 20. 8A TRIAC
 21. 8A TRIAC
 22. 8A TRIAC
 23. 8A TRIAC
 24. 8A TRIAC
 25. 8A TRIAC
 26. 8A TRIAC
 27. 8A TRIAC
 28. 8A TRIAC
 29. 8A TRIAC
 30. 8A TRIAC
 31. 8A TRIAC
 32. 8A TRIAC
 33. 8A TRIAC
 34. 8A TRIAC
 35. 8A TRIAC
 36. 8A TRIAC
 37. 8A TRIAC
 38. 8A TRIAC
 39. 8A TRIAC
 40. 8A TRIAC
 41. 8A TRIAC
 42. 8A TRIAC
 43. 8A TRIAC
 44. 8A TRIAC
 45. 8A TRIAC
 46. 8A TRIAC
 47. 8A TRIAC
 48. 8A TRIAC
 49. 8A TRIAC
 50. 8A TRIAC
 51. 8A TRIAC
 52. 8A TRIAC
 53. 8A TRIAC
 54. 8A TRIAC
 55. 8A TRIAC
 56. 8A TRIAC
 57. 8A TRIAC
 58. 8A TRIAC
 59. 8A TRIAC
 60. 8A TRIAC
 61. 8A TRIAC
 62. 8A TRIAC
 63. 8A TRIAC
 64. 8A TRIAC
 65. 8A TRIAC
 66. 8A TRIAC
 67. 8A TRIAC
 68. 8A TRIAC
 69. 8A TRIAC
 70. 8A TRIAC
 71. 8A TRIAC
 72. 8A TRIAC
 73. 8A TRIAC
 74. 8A TRIAC
 75. 8A TRIAC
 76. 8A TRIAC
 77. 8A TRIAC
 78. 8A TRIAC
 79. 8A TRIAC
 80. 8A TRIAC
 81. 8A TRIAC
 82. 8A TRIAC
 83. 8A TRIAC
 84. 8A TRIAC
 85. 8A TRIAC
 86. 8A TRIAC
 87. 8A TRIAC
 88. 8A TRIAC
 89. 8A TRIAC
 90. 8A TRIAC
 91. 8A TRIAC
 92. 8A TRIAC
 93. 8A TRIAC
 94. 8A TRIAC
 95. 8A TRIAC
 96. 8A TRIAC
 97. 8A TRIAC
 98. 8A TRIAC
 99. 8A TRIAC
 100. 8A TRIAC

MAIN FEATURES

ABSOLUTE MAXIMUM RATINGS


Parameter	Symbol	Value	Unit
Storage Temperature	T _s	-40-150	
Junction Temperature	T _j	-40-150	

V_{GS} ($T_j=25$; \square -16 -16 8)	V_p	3	V
---	-------	---	-----

ELECTRICAL CHARACTERISTICS ($T_j=25$)

Symbol

ORDERING INFORMATION



MARKING






FIG.1:  




□ 


FIG.2:  

- 




 (MYS)

FIG.7: 





61000-4-5

1.2/50 μ S voltage surge
8/20 μ S current surge



ORDERING INFORMATION

Order code	Voltage V_{DRM}/V_{RRM} (V)	IGT(mA)	Package	Base qty. (pcs)	Delivery mode
		- -			
T0835H-8E	800	35	TO-	-	35H-

PACKAGE MECHANICAL DATA

R	D					
	M			b		
	M	⌀	M	M	⌀	M
A	9.90		10.20	0.390		0.402
B	14.70		15.80	0.579		0.622
C	9.40		9.60	0.370		0.378
D	2.40			0.094		
E	1.20		1.50	0.047		0.059
F	0.75		0.85	0.029		0.033

